JZZ1 ARCHITECTURAL SOLUTIONS

COMMERCIAL & RESIDENTIAL PERIMETER FENCE SYSTEMS




We focus on metal fence OEM/ODM manufacturing


https://www.jzz1.com

金上·匠行

Trust because of specialty



JZZ1 s a professional manufacturer specialized in steel fence and aluminum fence productin China. Ouradvanced equipment and modern powder coating lines allow us to provide cost-effective goods with fast deliverytime and trustworthy powder coating quality. With over 10 years ofOEM/ODM manufacturing experience in the field of metal fence and railing industry, **JZZ1 Aluminum** to be rigorous, focused, and excelsior in each manu facturing process.






We focus on metal fence OEM/ODM manufacturing


https://www.jzz1.com

94" Welded Residential [5/8”x5/8" picket-18 ga.] [1”x1" rail-16 ga.]




2-rail Flat top/FB


46"



46.5"




58.5"




2-rail Flat top/FB Biasable


46"



46.5"




58.5"




2-rail Extended top/EB


46"
58"
70"



46.5"




58.5"




2-rail Spear top/EB

46"
58"
70"




46.5"




58.5"

94" Welded Commercial [3/4”x3/4" picket-18 ga.] [1.5”x1.5" rail-16 ga.]




2-rail Flat top/FB


46"



46.5"




58.5"




2-rail Extended top/EB


70"



46.5"



58.5"




2-rail Spear top/EB


70"



46.5"




58.5"



2-rail Curved Spear top/EB


82"

94"



58.5"


Rackable Steel Fence - res





Rackable Residential [5/8" picket-18 ga.] [1-3/16" x 1-5/64"x 1-3/16" rail-14 ga.]


We focus on metal fence OEM/ODM manufacturing
www.jzz1.com
http://www.tqjsjs.com





Rackable Commercial [3/4" picket-16 ga.] [1-9/16" x 1-3/16" x 1-9/16" rail-14 ga.]

Primer Coating for Steel Fence



Primer Powder Coating



Finished Powder Coating



Before Primer Coating





After Primer Coating

#Primer Coating covers all welds and cutting edges,superior anti-rust performance.


We focus on metal fence OEM/ODM manufacturing
www.jzz1.com

Aluminum Fence and Gates







RESIDENTIAL PICKET



RESIDENTIAL RAIL



COMMERCIAL PICKET




COMMERCIAL RAIL

We focus on metal fence OEM/ODM manufacturing


www.jzz1.com

72" Residential Aluminum Fence Panel & Gates [5/8" picket] [1" U channel]




48”

RA1 46.5" 58.5"




48”
54”

RA2 46.5" 58.5"



48”
54”

RA3 46.5" 58.5"




60”


RA4 46.5" 58.5"


We focus on metal fence OEM/ODM manufacturing
www.jzz1.com

72" Commercial Aluminum Fence Panel & Gates [3/4" picket] [1-1/4" U channel]




48”







CA1 | 46.5" | 58.5"




48”

54”







CA2 | 46.5" | 58.5"




48”

54”






CA3 | 46.5" | 58.5"



60”





CA4 | 46.5" | 58.5"

We focus on metal fence OEM/ODM manufacturing


www.jzz1.com

King's Shield
金上·匠行

Production Equipment



Incoming raw materials



CNC punching & drilling



Aluminum gate welding



Fence panel assembling




Components powder coating



Palletized packing

We focus on metal fence OEM/ODM manufacturing

www.jzz1.com



King‘s Shield PRODUCTS CO..LTD

—OEM&ODM WIRE MESH FENCING MANUFACTURER—

ABOUT US<<<

King‘s Shield is a world leading designer and manufacturer of fencesand gates.We were built in 1997. With our extensiveknowledgeand experience in fences and gates,we have exported our prod-ucts around the world in the industrial and commercial applica-tion globally over a period of more than 20 years,including wiremesh fence,metal fence, palisade fence,temporary fence,livest-ock yard products and all kinds of gates. We always upholdtheprinciple of "Customer First,Consider for the Customer Every-where".Choose King‘s Shield ,we deserve your trust!

FACTORY SHOW >>>







CERTIFICATE DISPLAY



WHY CHOOSE US

Experience
20+ years of production and export experience

OEM&ODM
CAD drawing&3D model show are available

Quality assurance
Professional technicians and inspection team

Supply capacity guarantee
500+ containers annual quantity

CONTENTS


1 STEEL FENCE
2 CHAIN LINK FENCE
3 3D WELDED WIRE MESH FENCE
4 ANTI CLIMB FENCE
5 DOUBLE WIRE FENCE
6 BRC FENCE
7 AUSTRALIA TEMPORARY FENCE
8 CHAIN LINK TEMPORARY FENCE
9 CANADA TEMPORARY FENCE
10 EDGE PROTECTION BARRIER
11 CROWD CONTROL BARRIER
12 PALISADE FENCE
13 CATTLE PANEL
14 HORSE PANEL
15 SHEEP PANEL
16 FARM GATE
17 STEEL FENCE GATE
18 WIRE MESH FENCE GATE



Steel Fence

Steel Fence

Ideal for: yards, garden, airports, power plants & substations, petroleum & chemical facilities, factories



A CAP B BOLT C NUT D PICKET E RAIL F POST

Steel Fence	
Top point	Spear top/flat top/spearhead top/bent top
Panel size	1.8x2.4m (6x8ft), 2.1x2.4m (7x8ft), 2.4x2.4m (8x8ft), etc
Rail size	40x40mm, 30x30mm, 50x50mm, etc
Picket size	19x19mm, 20x20mm, 25x25mm, etc
Post size	60x60mm, 50x50mm, 70x70mm, 75x75mm, etc
Accessories	Bolts&nuts, screws
Surface treatment	Hot dipped galvanized + powder coated

Style


SF-01


SF-02


SF-03


SF-04


SF-05

Accessories show


Spear top


Clamp 1 Clamp 2 Clamp 3 Clamp 4 Clamp 5 Clamp 6



Cap 1 Cap 2 Cap 3 Cap 4 Cap 5 Ring



Steel Fence

Steel Fence

Ideal for: yards, garden, airports, power plants &substations, petroleum & chemical facilities, factories



A CAP B BOLT C NUT D PICKET E RAIL F POST

Steel Fence	
Top point	Spear top/flat top/spearhead top/bent top
Panel size	1.8x2.4m (6x8ft), 2.1x2.4m (7x8ft), 2.4x2.4m (8x8ft), etc
Rail size	40x40mm, 30x30mm, 50x50mm, etc
Picket size	19x19mm, 20x20mm, 25x25mm, etc
Post size	60x60mm, 50x50mm, 70x70mm, 75x75mm, etc
Accessories	Bolts&nuts, screws
Surface treatment	Hot dipped galvanized + powder coated

Style


SF-06


SF-07


SF-08


SF-09

Accessories show



Clamp 1 Clamp 2 Clamp 3 Clamp 4 Clamp 5 Clamp 6


Cap 1 Cap 2 Cap 3 Cap 4 Cap 5 Ring



Chain Link Fence

Ideal for: warehouse, industrial, security, residential, parks, playgrounds,court.



A CHAIN LINK MESH
B TENSION BAND
C BARBED WIRE
D RAIL
E SINGLE ARM
F TENSION WIRE
G FLAT BAR
H BRACE BAND
I CORNER POST
J NORMAL POST


Chain Link Fence	
Chain link mesh	50×50, 60×60, 70×70mm etc. wire diameter: 2-4mm
Corner post	Φ48, Φ60mm etc. thickness: 1.2-2mm
Normal post	Φ38, Φ42, Φ48, Φ60mm, thickness: 1.2-2mm
Support post	Φ48, Φ60mm etc. thickness: 1.2-2mm
Rail	Φ32, Φ38, Φ42, Φ48mm etc. thickness: 1-2mm
Flar bar	19, 25mm, thickness: 2.75mm etc.
Accessories	Brace band, tension band, flat bar, tensioner, tension wire, rail end, rail sleeve , barbed wire, razor wire, single arm, double arm
Surface	Hot dipped galvanized or electric galvanized + PVC coated (all colors in ral)

Style



CLF-01 CLF-02 CLF-03


Accessories show



Brace band Tension band Flat bar Wire tensioner




Rail end Rail sleeve Single arm Y arm



3D Welded Wire Mesh Fence

Mainly used for security protection in construction site, residential building, sports field, farm, warehouse, garden, highway or airport service area, railway station, etc.



A MESH PANEL
B CLAMP
C POST

3D Welded Wire Mesh Fence			
Height	1.83, 2.13, 2.43m etc.	Mesh hole	50×100mm, 50×150mm, 50×200mm
Width	2.2, 2.5m etc.	Wire diameter	4mm, 5mm etc.
Square post	50×50mm, 40×60mm, 60×60mm, thickness: 1-2mm		
Round post	Φ48mm, Φ60mm, thickness: 1.2-2mm		
Peach post	50×70mm, 70×100mm, thickness: 1, 1.2mm		
Accessories	Clamp, screw		
Surface	Galvanized, galvanized +powder coated, galvanized +PVC coated(All colors in RAL)		

Style



3DMF-01 3DMF-02 3DMF-03 3DMF-04

Details






Anti Climb Fence

Anti Climb Fence

Ideal for: prisons, military compound,power facilities,etc




A BOLT B FLAT BAR C WIRE D POST

Anti Climb Fence	
Height	0.6m-3.0m (Suggest size : 1.8m/2m/2.2m)
Width	2.0m-3.0m (Suggest size : 2.2m/2.5m/3m)
Wire diameter	4mm
Mesh opening	12.7x76.2mm
Round post	48x1.5/2.0mm 60x1.5/2.0mm
Square post(SHS)	50x50x1.5/2.0mm,60x60x1.5/2.0mm,80x80x1.5/2.0mm
Surface treatment	Hot dipped galvanized, galvanized+powder coated, galvanized+PVC coated
Color	RAL 6005 green, RAL 7016 gray, All RAL color can be customized

Style



Details






Double Wire Fence

Double Wire Fence

Application: along the roadside, residential communities, parks, football fields, gardens, zoo animals, etc



A CAP B WIRE C CLAMP D BOLT E POST

Double Wire Fence	
Height	1.53m,1.83m,2.03m,2.23m,2.43m
Width	2m,2.5m,3m
Wire diameter	6/5/6mm, 8/6/8mm
Mesh opening	50×100mm, 50×150mm, 50×200mm, 55×200mm, 75×100mm
Round post	48 OD×1.2/1.5/2.0mm, 60 OD×1.2/1.5/2.0mm
Square post(SHS)	50×50×1.2/1.5/2.0mm,60×60×1.2/1.5/2.0mm,80×80×1.2/1.5/2.0mm
Rectangular post	40×60×1.2/1.5/2.0mm,60×80×1.2/1.5/2.0mm
Surface treatment	Hot dipped galvanized, galvanized + powder coated, galvanized + PVC coated

Style




Details





BRC Fence

Application: parking lots, residential communities, bridges,facilities, amusement parks, gas stations, and etc



A POST CAP B MESH PANEL C CLAMP D POST

BRC Fence	
Height	0.9 - 2.4m
Width	1.5 - 3m
Wire diameter	3.5mm,4.0mm, 4.5mm, 5.0mm
Mesh opening	50×150mm, 50×200mm,etc
Round post	48 OD×1.2/1.5/2.0mm, 60 OD×1.2/1.5/2.0mm
Square post(SHS)	50×50×1.2/1.5/2.0mm, 60×60×1.2/1.5/2.0mm, 80×80×1.2/1.5/2.0mm
Rectangular post	40×60×1.2/1.5/2.0mm, 40×80×1.2/1.5/2.0mm, 60×80×1.2/1.5/2.0mm
Surface treatment	Hot dipped galvanized, galvanized + powder coated, galvanized + PVC coated

Style


BRCF-01


BRCF-02

Details


Bolt


Clamp



Detail 1


Detail 2



Temporary Fence

Ideal for: construction,festivals and events,emergency service



A FRAME TUBE B WIRE C BASE

Temporary Fence	
Height	2.1m
Width	2.4m
Wire diameter	3mm, 3.5mm, 4mm
Mesh hole	60x150mm
Frame tube	32mm, 1.2mm, 2mm
Surface treatment	Galvanized

Style


ATF-01


ATF-02

Accessories show


Clamp


Base 1


Base 2


Base 3



Base 4


Base 5



Chain Link Temporary Fence


Ideal for: temporary walkways, public events, landscaping, road work construction, utility works, events



A FRAME TUBE B CHAIN LINK WIRE C BASE

Chain Link Temporary Fence	
Material	Hot dipped galvanized steel
Height	1.2m,1.8m,2.4m or customized size
Width	3m, 3.6m or customized size
Wire diameter	2.5mm, 2.7mm, 3mm, 3.5mm, 4mm, etc
Mesh size	50x50mm,57x57mm,60x60mm,etc
Frame tube O.D	32mm, 38mm, 42mm,etc
Vertical/cross brace tube O.D	25mm, 32mm, etc
Fence base/stand	610x610mm, 762x460mm etc

Style



Accessories show





Temporary Fence


Ideal for: temporary walkways, public events, landscaping, road work construction, utility works, events



A FRAME TUBE B WIRE C BASE


Temporary Fence	
Material	Hot dipped galvanized steel
Height	1.2m,1.8m,2.4m
Width	2.85m
Wire diameter	3mm, 3.5mm, 4mm
Hole opening	50x100mm,55x100mm
Frame square tube	25x25mm, 30x30mm
Horizontal square rail	20x20mm, 25x25mm, 30x30mm
Surface treatment	Epoxy polyester powder coated, pvc coated

Style



Accessories show





Edge Protection Barrier


Common usage scenarios of edge protection systems: commercial construction, industrial construction, residential construction, infrastructure construction, concrete edge protection, steel edge protection timber frames edge protection.



A VERTICAL WIRE B HORIZONTAL WIRE C STEEL PLATE

Edge Protection Barrier	
Height	1.14m
Width	2.6m
Vertical wire	5mm
Horizontal wire	7mm
Post	Φ48×1.5mm
Surface	Powder coated

Style




Details





Crowd Control Barrier

Ideal for: temporary walkways, public events, landscaping, road work construction, utility works, events.



A FRAME TUBE Φ32×1.2mm B PICKET Φ16×1mm C LUG D FEET

Crowd Control Barrier	
Height	1m, 1.1m
Width	2.1m, 2.5m, 2.9m
Frame tube	25mm, 32mm, 38mm
Infill picket	12mm, 16mm, 20mm
Feet	Flat feet, cross feet, bridge feet
Surface	Galvanized or powder coated

Style



Details






Palisade Fence

Palisade Fence

Ideal for: yards, garden, airports, power plants &substations, petroleum & chemical facilities, factories



A FISH PLATE B PALE C POST D SCREW E ANGLE RAIL

Palisade Fence	
Height	1.2-3m
Width	2.75m(17 pales)
Pale width	62mm,65mm,68mm,72mm
Pale thickness	2-4mm
Angle rail	40x40mm,50x50mm
Post size(IPE)	100x55mm,120x74mm,100x68mm
Post size(SHS)	80x80x3mm thick,100x100x4mm thick
Surface treatment	Hot dipped galvanized+powder coated(RAL 9005,6005,7016 etc)

Style



PF-01 PF-02 PF-03

Details





Detail

Head types of W&D Section Pales



Head Types of Angle Steel Pales







Cattle panel



Cattle Panel


main features: portable, robust, environment protecting livestock protection,cost-effective.



A VERTICAL TUBE 40×40/50×50mm B OVAL RAIL 30×60mm C LUG D BASE PLATE

Cattle Panel	
Height	1.8m
Width	2.1m
Vertical square tube	40×40mm, 50×50mm
Oval rail	30×60mm, 40×80mm, 42×115mm
Accessories	U lug, L lug and cap are welded on panel, Pins included
Surface	Galvanized

Style




CP-01 CP-02 CP-03 CP-04

Accessories show



Lug Pin Base plate





Horse Panel

Main features: portable, robust, environment protecting livestock protection,cost-effective.



A VERTICAL TUBE B HORIZONTAL TUBE C LUG D BENDING OF THE FOOT D VERTICAL BRACE TUBE

Horse Panel	
Height	1.5, 1.8m
Width	2.4, 3, 3.6, 4.2, 4.8m
Vertical tube	Φ32mm, Φ42mm, Φ48mm
Horizontal tube	Φ32mm, Φ42mm, Φ48mm
Vertical brace tube	Φ25mm, Φ38mm, Φ32mm, Φ42mm
Accessories	Lug and cap are welded on panel, Pins included, etc.
Surface	Galvanized, powder coated

Style


HP-01


HP-02


HP-03


HP-04

Details







Sheep Panel

Main features: portable, robust, environment protecting livestock protection,cost-effective.




A VERTICAL TUBE 40×40mm B OVAL RAIL 30×60mm C LUG D BASE PLATE

Sheep Panel	
Height	1m, 1.1m, 1.2m
Width	2.1m, 2.8m
Vertical square tube	40×40mm
Oval rail	30×60mm
Accessories	U lug, L lug and cap are welded on panel, Pins included
Surface	Galvanized

Style


SP-01


SP-02


SP-03


SP-04


Accessories show


Lug Pin Base plate



Farm gate

Main features: portable, robust, environment protecting livestock protection,cost-effective.



A GATE POST B LOCK C FRAME TUBE D BRACE TUBE

Farm gate	
Height	1.2, 1.5, 1.8m
Width	1.2,1.8, 2.4, 3, 3.6, 4.2, 4.8m
Frame tube	Φ32mm, Φ38mm, Φ42mm, Φ48mm
Vertical brace tube	Φ25mm, Φ38mm, Φ32mm, Φ42mm
Accessories	Latch, Hinge, etc.
Surface	Galvanized or powder coated

Style


FG-01


FG-02


FG-03


FG-04

Details





Steel Fence Gate

Secure your property with a beautiful, durable galvanized wire mesh fence gate From Dual Swing Driveway Gates to Automated Gate kits, King 's Shield to find the right style gate for you and the security of your home.



A FRAME TUBE B LOCK C POST D GATE PICKET

Steel Fence Gate	
Height	1.8m, 2.1m, 2.4m
Width	3m, 4m, 6m, 10m, 16m
Gate frame tube	40x60mm, 60x60mm
Gate picket	19x19mm, 25x25mm
Accessories	gate post, lock, hinge, electric motor and controller, etc.
Surface	galvanized or powder coated
Gate type	swing or sliding

Style


SFG-01


SFG-02


SFG-03


SFG-04

Details







Wire Mesh Fence Gate

Wire Mesh Fence Gate

Secure your property with a beautiful, durable galvanized wire mesh fence gate. From Dual Swing Driveway Gates to Automated Gate kits, King 's Shield to find the right style gate for you and the security of your home.



A FRAME TUBE B LOCK C POST D MESH PANEL

Wire Mesh Fence Gate	
Height	1.8m, 2.1m, 2.4m
Width	3m, 4m, 6m, 10m, 16m
Gate frame tube	40x60mm, 60x60mm
Mesh hole	50x50mm, 50x200mm, 76.2x12.7mm
Accessories	gate post, lock, hinge, electric motor and controller, etc.
Surface	galvanized or powder coated
Gate type	swing or sliding

Style



WMFG-01



WMFG-02



WMFG-03



WMFG-04

Details







King's Shield

金上·匠行

https://www.jzz1.com